

DUO

NORTON



NORTON announces the introduction of its new Clipper Dynamic DUO Product Range

The new Clipper Dynamic DUO range is a comprehensive family of diamond blades enhancing the well established existing Norton Clipper Diamond products.

The new Norton Clipper Duo diamond blades are a further development from the highly successful ZDH Duo specification that set new standards in performance featuring :

- Exceptionally fast cutting speed.
- Extremely long life.
- Easy and comfortable to use.
- Highly advanced and innovative product design.


The Norton Clipper DUO range combines the goal of technological innovation and performance. This is achieved by combining Norton's innovative steel centres, featuring the patented cutting depth indicator, with a new ground-breaking segment shape. The Norton Clipper Duo range fully satisfies the requirements of the professional building and construction sector in terms of quality, safety and performance.

clipper
DYNAMIC

The new Clipper Dynamic DUO Range

The main features of the product range are :

- Premium quality diamond blades, delivering higher performance than all competitive products.
- New segment shapes and specifications results in exceptional fast cutting, very long product life and ease of use.
- Guaranteed user-safety. All Norton Clipper DUO blades fully comply with the European Safety Standard EN13236 and to the requirements of oSa, the Organisation for the Safety of Abrasives.
- The widest range of materials and applications.
- Innovative and patented steel-centre and segment design.



Duo Extreme

General Purpose Diamond blade for angle-grinders



Applications: cuts all types of building materials including concrete pipes, kerb stones, sandstone, hard facing bricks, blocks, block paving and granite sets, ...

Part Number	EAN	DESCRIPTION	Diameter	Bore
70184611964	5450248204312	Dynamic ZDH Duo *	115 mm	22,23 mm
70184611965	5450248204329	Dynamic ZDH Duo *	125 mm	22,23 mm
70184611966	5450248204336	Dynamic ZDH Duo *	180 mm	22,23 mm
70184624577	5450248238102	Dynamic Duo Extreme	230 mm	22,23 mm

* Standard segment and steel-centre shape.


Features:

- Unique DUO segment shape with up to 15mm segment height.
- Newly developed segment shape and design: The new, sharper segment shape appreciably increases material removal resulting in significantly faster cutting speed and enhanced product life.
- The arrow-shape slots on the steel-centre indicates the correct direction of rotation for the diamond blade.
- Laser-welded segments for maximum safety.



FMD Duo

Diamond blade for masonry saws



Applications : concrete blocks, washed concrete, hard facing bricks, paving slabs, block paving, concrete roof tiles, clay roof tiles, clay blocks.

Part Number	EAN	DESCRIPTION	Diameter	Bore
70184612282	5450248218777	Dynamic FMD Duo	300 mm	30/25,4 mm
70184612283	5450248218784	Dynamic FMD Duo	350 mm	30/25,4 mm

Features :

- Unique Duo-shape segments, 12mm segment height in diameter 300-350mm.
- Specification specifically developed for masonry applications.
- The arrow-shape slots on the steel-centre indicates the correct direction of rotation for the diamond blade.
- Laser-welded segments for maximum safety.





Duo Granit

Diamond blade for handheld petrol saws and masonry saws




Applications : granite, hard granite, marble, hard block paving, slate, refractory bricks, hard facing bricks, cured clay block paving.

Part Number	EAN	DESCRIPTION	Diameter	Bore
70184622118	5450248238195	Dynamic Duo Granit	300 mm	20 mm
70184624803	5450248238492	Dynamic Duo Granit	300 mm	25,4 mm
70184622119	5450248238201	Dynamic Duo Granit	350 mm	20 mm
70184623804	5450248238218	Dynamic Duo Granit	350 mm	25,4 mm

Features :

- Unique Duo-shape segments, 10mm segment height.
- Exceptionally fast cutting speed and extremely long life in Granite and other in hard materials.
- The arrow-shape slots on the steel-centre indicates the correct direction of rotation for the diamond blade.
- Laser-welded segments for maximum safety.



Duo Asphalt

Diamond blade for handheld petrol saws and floor saws up to 13 HP




Applications : Asphalt, asphalt over concrete, green concrete, concrete floors and other abrasive materials.

Part Number	EAN	DESCRIPTION	Diameter	Bore
70184624581	5450248238157	Dynamic Duo Asphalt	300 mm	20 mm
70184624572	5450248237426	Dynamic Duo Asphalt	300 mm	25,4 mm
70184624582	5450248238164	Dynamic Duo Asphalt	350 mm	20 mm
70184624583	5450248238171	Dynamic Duo Asphalt	350 mm	25,4 mm
70184625075	5450248241065	Dynamic Duo Asphalt	400 mm	20 mm
70184625577	5450248346395	Dynamic Duo Asphalt	400 mm	25,4 mm
70184625578	5450248346401	Dynamic Duo Asphalt	450 mm	25,4 mm

Features :

- Unique Duo-shape segments, 10 mm segment height.
- Increased number of High-Protection segments to reduce under-cutting of the steel-centre.
- Patented SG ceramic abrasive grain incorporated into the metal bond to reduce wear.
- Patented cutting-depth indicator.
- Diamond blade specifically designed for cutting very abrasive materials that gives exceptionally high performance.
- Laser-welded segments for maximum safety.



Duo Extreme

General Purpose Diamond blade for handheld petrol saws and floor saws up to 13 HP



Applications: cuts all types of building materials including concrete pipes, kerb stones, sandstone, hard facing bricks, blocks, block paving and granite sets, ...

Part Number	EAN	DESCRIPTION	Diameter	Bore
70184624578	5450248238119	Dynamic Duo Extreme	300 mm	20 mm
70184624571	5450248237419	Dynamic Duo Extreme	300 mm	25,4 mm
70184624579	5450248238126	Dynamic Duo Extreme	350 mm	20 mm
70184624580	5450248238133	Dynamic Duo Extreme	350 mm	25,4 mm
70184625073	5450248241041	Dynamic Duo Extreme	400 mm	20 mm
70184625074	5450248241058	Dynamic Duo Extreme	400 mm	25,4 mm

Features:

- Unique DUO segment shape with up to 12mm segment height.
- Newly developed segment shape and design: The new, sharper segment shape appreciably increases material removal resulting in significantly faster cutting speed and enhanced product life.
- The arrow-shape slots on the steel-centre indicates the correct direction of rotation for the diamond blade.
- Laser-welded segments for maximum safety.






Aerojet

Diamond blade for angle-grinders, masonry saws and handheld petrol saws



Applications : General purpose diamond blade for cutting a wide range of building materials including, roof tiles, hard block paving, cured clay block paving, granite, marble, natural and processed stone, washed concrete, clay pipes etc.

Part Number	EAN	DESCRIPTION	Diameter	Bore
70184623598	5450248236863	AERO-JET EVO	115 mm	22,23 mm
70184623599	5450248330868	AERO-JET EVO	125 mm	22,23 mm
70184623180	5450248234692	AERO-JET EVO	230 mm	22,23 mm
70184611230	5450248174042	AERO-JET EVO	300 mm	20 mm
70184611236	5450248174417	AERO-JET EVO	300 mm	25,4 mm
70184611427	5450248183907	AERO-JET EVO	350 mm	20 mm
70184611561	5450248186960	AERO-JET EVO	350 mm	25,4 mm



Features :

- High performing diamond blade with 12mm corrugated segment height.
- Arrow-shape protection segments enhances the cut accuracy and quality and also indicates the correct direction of rotation.
- Exceptionally fast cutting speed and extremely long life in hard materials.
- Corrugated rim, waved steel-centre, suitable for dry cutting.



Dynamic CD Core Drills

Diamond core drills

Applications : concrete, reinforced concrete, masonry walls.

Part Number	EAN	∅ Ext/Int	Part Number	EAN	∅ Ext/Int
70184624870	5450248163169	52/45 mm	70184624884	5450248163183	127/119 mm
70184624872	5450248184386	62/55 mm	70184624887	5450248184454	152/144 mm
70184624873	5450248184393	67/70 mm	70184624888	5450248163206	162/154 mm
70184624875	5450248184409	77/70 mm	70184624890	5450248163213	182/174 mm
70184624876	5450248184416	82/75 mm	70184624892	5450248163220	202/194 mm
70184624879	5450248184423	92/85 mm	70184624893	5450248163237	212/203 mm
70184624880	5450248163176	102/95 mm	70184624894	5450248184461	227/218 mm
70184624881	5450248184430	107/100 mm	70184624895	5450248163244	252/243 mm
70184624882	5450248184447	112/115 mm	70184624897	5450248184478	300/290 mm

- Tapered segments for a fast start-up, 10mm segment height.
- Connexion 1 1/4" UNC, core length 450 mm.



www.construction.norton.eu

SAINT-GOBAIN ABRASIVES

Doxey Road,
Doxey
Stafford
Staffordshire
ST16 1EA
United Kingdom


EN 13236

